



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Report from Fernandina, Fla.—Yellow fever case on steamship Alf from Santiago, Cuba.*

Acting Assistant Surgeon Horsey reports:

October 17. One case yellow fever on Norwegian steamship *Alf*, Santiago via Philadelphia.

NOTE.—The steamship *Alf* was remanded, October 17, to the South Atlantic Quarantine Station.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES  
OF THE UNITED STATES—UNTABULATED.

CALIFORNIA.—Month of August, 1907. Estimated population, 2,001,193. Total number of deaths reported to the State board of health, 2,501, corresponding to an annual death rate of 14.7 per 1,000 population. Deaths from contagious diseases were as follows: Diphtheria 29, enteric fever 47, measles 14, scarlet fever 5, plague 6, whooping cough 16, and 367 from tuberculosis.

*San Diego*.—Month of September, 1907. Estimated population, 40,000. Total number of deaths, 43, including enteric fever 1, and 6 from tuberculosis. Cases: Enteric fever 5.

FLORIDA.—Reports to the State board of health for the week ended October 12, 1907, show as follows: Diphtheria—*Jacksonville*, 2 cases. Enteric fever—*Jacksonville*, 1 case. Tuberculosis—*Tampa*, *Jacksonville*, and *Gainesville*, each 1 case.

INDIANA.—Month of August, 1907. Estimated population, 2,648,594. Total number of deaths, 3,390, corresponding to an annual death rate of 14.8 per 1,000 of population, including 17 from diphtheria, 131 from enteric fever, 5 from measles, 5 from scarlet fever, 22 from whooping cough, and 377 from tuberculosis.

Morbidity: Diphtheria, 98 cases in 28 counties; enteric fever, 728 cases in 79 counties; smallpox, 63 cases in 18 counties. In the same month last year 40 cases of smallpox were reported from 3 counties, with no deaths.

MINNESOTA—*Minneapolis*.—Month of September, 1907. Estimated population, 285,000. Total number of deaths, 211, including diphtheria 3, enteric fever 5, scarlet fever 1, whooping cough 3, and 20 from tuberculosis. Cases: Diphtheria 50, enteric fever 33, scarlet fever 7, and tuberculosis 20.

*Stillwater*.—Month of September, 1907. Estimated population, 12,435. Total number of deaths, 10, including 2 from tuberculosis.

NEW JERSEY.—Reports to the State board of health for the month ending September 15, 1907, show a total of 3,405 deaths, including diphtheria 43, enteric fever 55, measles 18, scarlet fever 14, whooping cough 37, and 328 from tuberculosis.

OHIO—*Canton*.—Month of September, 1907. Estimated population, 40,000. Total number of deaths not reported. One death from